

**EAST Search History****EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	steele.in. and battelle.as.	US_PGPUB; USPAT; USOOR	OR	ON	2010/08/17 09:13
L2	1	(RFID tag\$1) with search near3 (method procedure) near3 (select\$3 determin\$5 choos\$3 vary\$3) and (455/39,41,2,414,1,434,550,1.cols. or 340/3,1,3,1,3,52,3,6,10,1,10,2,10,32,10,33,539,23,540,572,1,572,4,573,1,10,33,825,54.cols.)	US_PGPUB; USPAT; USOOR	OR	ON	2010/08/17 09:20
L3	18	(RFID tag\$1) with search near3 (method procedure) near3 (select\$3 determin\$5 choos\$3 vary\$3)	US_PGPUB; USPAT; USOOR	OR	ON	2010/08/17 09:21
L4	7	(RFID tag\$1) with search near3 (method procedure) with (identification identifier) and (455/39,41,2,414,1,434,550,1.cols. or 340/3,1,3,1,3,52,3,6,10,1,10,2,10,32,10,33,539,23,540,572,1,572,4,573,1,10,33,825,54.cols.)	US_PGPUB; USPAT; USOOR	OR	ON	2010/08/17 09:22
L5	40	(RFID tag\$1) with (search\$3 query\$3) near3 (method\$1 procedure\$1) near3 (select\$3 determin\$5 choos\$3 vary\$3)	US_PGPUB; USPAT; USOOR	OR	ON	2010/08/17 09:24
L6	84	"4471345"   "4924210").PN. OR ("5266925").URPN.	US_PGPUB; USPAT; USOOR	OR	ON	2010/08/17 09:26
L7	117	"3520406"   "3689885"   "4071908"   "4225953"   "4418411"   "4471345"   "4495496"   "4533871"   "4598275"   "4636950"   "4656463"   "4862160"   "4931788"   "5030807"   "5124699"   "5214409"   "5245534"   "5266925"   "5271793"   "5289372"   "5313052"   "5339073"   "5356516"   "5365551"   "5390360"   "5410315"   "5420577"   "5430441"   "5434572"   "5434775"   "5444223"   "5446447"   "5469142"   "5478991"   "5479416"   "5489908"   "5499017"   "5500650"   "5515053"   "5517399"   "5519381"   "5528222"   "5528232"   "5537105"   "5539394"   "5539775"   "5541928"   "5550547"   "5557280"   "5566441"   "5576932"   "5583819"   "5583850"   "5591951"   "5602538"   "5627517"   "5627544"   "5640151"   "5646607"   "5648765"   "5648767"   "5673037"   "5680459"   "5686888"   "5686902"   "5689239"   "5719586"   "5742618"   "5771021"   "5774876"   "5798693"   "5856788"   "5887176"   "5912632"   "5917422"   "5959568"   "5963133"   "6002344"   "6025780"   "6057756"   "6058374"   "6097347"   "6100804"   "6130602"   "6147605"   "6215401"   "6243013"   "6286762"   "6354493"   "6366206"   "6388569"   "6433671"   "6463039"   "6549064").PN. OR ("6989750").URPN.	US_PGPUB; USPAT; USOOR	OR	ON	2010/08/17 09:27
L8	0	(RFID tag\$1) with (binary adj (search\$3 query\$3)) with ((direct walk\$1through) adj (search query\$3))	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/17 09:31
L9	18	(binary adj (search\$3 query\$3)) same ((direct walk\$1through) adj (search query\$3))	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/17 09:32
L10	175	(binary adj (search\$3 query\$3)) with (identification identifier)	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/17 09:47
L11	15	10 and (455/39,41,2,414,1,434,550,1.cols. or 340/3,1,3,1,3,52,3,6,10,1,10,2,10,32,10,33,539,23,540,572,1,572,4,573,1,10,33,825,54.cols.)	US_PGPUB; USPAT; USOOR	OR	ON	2010/08/17 09:47

L12	10	((RFID tag\$1) with (search\$3 query\$3) with (identification identifier) with range near5 number\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/17 09:50
L13	3	((RFID tag\$1) with (search\$3 query\$3) same (identification identifier) with range near5 number\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/17 09:52
L14	134	((RFID tag\$1) with (search\$3 query\$3) same (identification identifier) with range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/17 09:56
L15	21	((identification identifier) and ((search query) adj (method\$1 procedure\$1)) and range and group).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/17 10:05
L16	47	14 and (455/39.41.2,414.1,434,550.1.cols. or 340/3.1,3.1,3.52,3.6,10.1,10.2,10.32,10.33,539.23,540,572.1,572.4,573.1,10.33,825.54.cols.)	US-PGPUB; USPAT; USOCR	OR	ON	2010/08/17 10:05
L17	1	15 and (455/39.41.2,414.1,434,550.1.cols. or 340/3.1,3.1,3.52,3.6,10.1,10.2,10.32,10.33,539.23,540,572.1,572.4,573.1,10.33,825.54.cols.)	US-PGPUB; USPAT; USOCR	OR	ON	2010/08/17 10:06
L18	58	((4075632"   "4862453"   "4926182"   "5142694"   "5365551"   "5479416"   "5500650"   "5583850"   "5608739"   "5621412"   "5625628"   "5627544"   "5649296"   "5805586"   "5841770").PN. OR ("6061344").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/08/17 10:07
S1	646	((RFID RFID "radio frequency identification" ((radio adj frequency) near2 ID)) and 340/10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 05:41
S2	56	S1 and "455"/\$.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:43
S3	30	"3705385"   "4064487"   "4075632"   "4360810"   "4736207"   "4833481"   "5369800"   "5450492"   "5517195"   "5694454"   "5699055"   "5771021"   "5850181"   "5864302"   "6091342"   "6177861"   "6249229"   "6362738"   "6456668"   "6480143"   "6505321").PN. OR ("6745008").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 15:48
S4	39	"3891980"   "4189712"   "4354189"   "4384288"   "4712103"   "4818973"   "5019815").PN. OR ("5339074").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 16:12
S5	48	((RFID RFID "radio frequency identification" ((radio adj frequency) near2 ID) transponder (identification near2 tag) ((RF "radio frequency") near3 tag)) same (search\$3 count\$3 discover\$3) near3 (strategy\$3 technique\$1 method\$1 system\$1) and 340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825.31.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 17:16

S6	12	("4471345"   "4691202"   "5339073"   "5365551"   "5410315"   "5455575"   "5489908"   "5550547"   "5602538"   "5646607"   "5751570"   "6091319").PN. OR ("6876294").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2007/06/19 17:12
S7	6	(RFID RFID "radio frequency identification" ((radio adj frequency) near2 ID) transponder (identification near2 tag) ((RF "radio frequency") near3 tag) reader) same (dynamic\$4 vary\$3 variable automatic\$3) near5 (search\$3 count\$3 discover\$3 query\$3) near3 strateg\$3 technique\$1 method\$1 system\$1) and 340/3.51.3.52.3.53.3.54.10.2.10.3.10.31.10.32.10.33.10.34.10.4.10.41.10.42.825.31.572.1.5.92.ccls.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 17:29
S8	0	(RFID RFID "radio frequency identification" ((radio adj frequency) near2 ID) transponder (identification near2 tag) ((RF "radio frequency") near3 tag) same (interrogator reader) same (dynamic\$4 vary\$3 variable automatic\$3) near5 (search\$3 count\$3 discover\$3 query\$3) near3 (strateg\$3 technique\$1 method\$1 system\$1) and 340/3.51.3.52.3.53.3.54.10.2.10.3.10.31.10.32.10.33.10.34.10.4.10.41.10.42.825.31.572.1.5.92.ccls.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 17:32
S9	72	(RFID RFID "radio frequency identification" ((radio adj frequency) near2 ID) transponder (identification near2 tag) ((RF "radio frequency") near3 tag) same (interrogat\$3 reader) same (search\$3 count\$3 discover\$3 query\$3) near3 (strateg\$3 technique\$1 method\$1 system\$1) and 340/3.51.3.52.3.53.3.54.10.2.10.3.10.31.10.32.10.33.10.34.10.4.10.41.10.42.825.31.572.1.5.92.ccls.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 18:16
S10	40	S9 not S5	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 17:34
S11	28	"4782345"   "4816839"   "5455575"   "5629981"   "5686902"   "5767789"   "5825806"   "5864580"   "5914671"   "6172596"   "6246882").PN. OR ("6608551").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2007/06/19 17:41
S12	19	(RFID RFID "radio frequency identification" ((radio adj frequency) near2 ID) transponder (identification near2 tag) ((RF "radio frequency") near3 tag) same (interrogat\$3 reader) same (search\$3 count\$3 discover\$3 query\$3) near3 (strateg\$3 technique\$1 method\$1 system\$1) and "705"/\$.ccls.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:14
S14	2	"6876294".pn.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 17:49
S15	12	("4471345"   "4691202"   "5339073"   "5365551"   "5410315"   "5455575"   "5489908"   "5550547"   "5602538"   "5646607"   "5751570"   "6091319").PN. OR ("6876294").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2007/06/19 18:07
S16	27	"5339073"   "5583819"   "5742618"   "5745049"   "5751573"   "5802080"   "5986570").PN. OR ("6091319").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2007/06/19 18:08
S17	12	"5339073"   "5550547"   "5673037"   "5986570"   "6091319"   "6265962"   "6377203"   "6456191"   "6469618").PN. OR ("6725014").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2007/06/19 18:12
S19	32	455/41.2.41.3.ccls. and 340/3.51.3.52.3.53.3.54.10.2.10.3.10.31.10.32.10.33.10.34.10.4.10.41.10.42.825.31.572.1.5.92.ccls.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 18:21

S20	:17	\$19 not (\$16 or \$11 or \$10 or \$5 or \$2)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 18:21
S21	:213	235/385.cds. and 340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825.31,572.1,5.92.cds.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 18:21
S22	:203	\$21 not (\$19 or \$16 or \$11 or \$10 or \$5 or \$2)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 18:22
S23	:2	"5940768".pn.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 09:21
S24	:2	"20020123329".pn.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:55
S25	:8	("5636269"   "5848142"   "5857017"   "H001714").PN.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:10
S26	:0	"6876294".cds.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:10
S27	:0	"6876294.pn.".cds.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:10
S28	:0	"6876294.pn."	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:10

S29	2	"6876294".pn.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:12
S30	2	"20060017544".pn.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:13
S31	128	((RFID RFID "radio frequency identification" ((radio adj freqeuncy) near2 ID) transponder (identification near2 tag) ((RF "radio frequency") near3 tag)) with (interrogat\$3 reader) with (back\$1scatter near2 modulation)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:15
S32	21	((determin\$5 search\$3 assign\$4 appprpriat\$3) near4 (search identification) near3 (technique algorithm method) same (RFID RFID "radio frequency identification" ((radio adj freqeuncy) near2 ID)) and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.ccl.s	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 11:10
S33	3	("5751570"   "6538563").PN. OR ("7009518").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2007/12/17 11:01
S34	32	("5124699"   "5430441"   "5450492"   "5451959"   "5539394"   "5543797"   "5550548"   "5602538").PN. OR ("5751570").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2007/12/17 11:24
S35	1	"6690954".pn.	US_PGPUB; USPAT; USOCR	OR	ON	2007/12/17 11:24
S36	10	((5165095"   "5222121"   "5842139"   "6157844"   "6212408"   "6260012"   "6263216"   "6272361"   "6449496"   "6459911").PN. OR ("6690954").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2007/12/17 11:37
S37	54	((search count) near3 (technique algorithm method) same (RFID RFID "radio frequency identification" ((radio adj freqeuncy) near2 ID)))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 11:15
S38	5989	((search count\$3 interrogat\$3) with (technique algorithm logic method) same (RFID RFID "radio frequency identification" ((radio adj freqeuncy) near2 ID) tag)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 11:19
S39	804	((search count\$3 interrogat\$3) with (technique algorithm logic method) same (RFID RFID "radio frequency identification" ((radio adj freqeuncy) near2 ID) tag) and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.ccl.s	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 12:32

S40	497	\search count\$3 interrogat\$3) near5 (technique algorithm logic method) same (RRID RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 11:18
S41	480	S40 not S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 11:18
S42	705	\search count\$3 interrogat\$3) with (technique algorithm logic method) same (RRID RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) same (distance range priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 09:40
S43	232	\search count\$3 interrogat\$3) with (technique algorithm logic method) same (RRID RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) same (distance range priority) and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 12:11
S44	24	\search count\$3 interrogat\$3) near3 (technique algorithm logic method procedure) same (RRID RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) same (distance range priority) same binary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 12:18
S45	50	\dynamic\$4 switch\$3 determin\$5 assign\$3 designat\$3) near5 (\search count\$3 interrogat\$3) near4 (technique algorithm logic method procedure) same (RRID RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) same (distance range priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 12:29
S46	48	S45 not S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 12:31
S47	6063	battelle.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 12:32
S48	30	S47 and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 06:56

S49	25	\\$R1D RFID "radio frequency identification" ((radio adj freqeuncy) near2 ID) same (binary logarithm\\$2) near3 (search\\$3 count\\$3 interrogat\\$3 identi\\$8) and 340/10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42.xls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 09:28
S50	24	"20020024422"   "20020149481"   "20020152044"   "20020167405"   "20030052161"   "20030137400"   "20040036575"   "20040113790"   "20040134984"   "20050104719"   "5124699"   "5345231"   "5525992"   "5537105"   "5856788"   "5995019"   "6107910"   "6265962"   "6404325"   "6433671"   "6531957"   "6580358"   "6724297"   "6950009").PN. OR ("7284703").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/25 09:26
S51	93	\\$R1D RFID "radio frequency identification" ((radio adj freqeuncy) near2 ID) same (binary logarithm\\$2) near4 (search\\$3 count\\$3 interrogat\\$3 identi\\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 09:31
S52	66	S51 not (S50 or S49)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 09:31
S53	3	search count\\$3 interrogat\\$3) same (\\$R1D RFID "radio frequency identification" ((radio adj freqeuncy) near2 ID) tag) same (distance range priority) same poll\\$3 same binary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 09:45
S54	12	search count\\$3 interrogat\\$3) same (\\$R1D RFID "radio frequency identification" ((radio adj freqeuncy) near2 ID) tag) same poll\\$3 same binary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 05:44
S55	9	S54 not S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 09:45
S56	2	"5874724".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 05:41
S57	39	"4202491"   "5134277"   "5280159"   "5349332"   "5354979"   "5382784"   "5430441"   "5484997"   "5486687"   "5497140"   "5500517"   "5526233"   "5635701"   "5736727").PN. OR ("5874724").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/26 05:42
S58	6	search count\\$3 number interrogat\\$3) same (\\$R1D RFID "radio frequency identification" ((radio adj freqeuncy) near2 ID) tag) same (range distance location position) same poll\\$3 same binary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 05:47

S59	10	\RRI D RFID "radio frequency identification" ((radio adj frequency) near2 ID tag) same (range distance location position) same poll \$3 same binary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 06:03
S60	4	S59 not S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 05:48
S61	13	\RRI D transponder RFID "radio frequency identification" ((radio adj frequency) near2 ID tag) same (range distance location position) same poll\$3 same (binary walk\$1through)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 06:54
S62	3727	\RRI D transponder RFID "radio frequency identification" ((radio adj frequency) near2 ID tag) same count\$3 same (identification ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:12
S63	385	S62 and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:13
S64	256	S63 and (@adk<"20040206" or @ladk<"20040206")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:13
S65	2776	\RRI D transponder RFID "radio frequency identification" ((radio adj frequency) near2 ID tag) with (count\$3 number) with (search \$3 interrogat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:25
S66	616	S65 and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:25
S67	444	S66 and (@adk<"20040206" or @ladk<"20040206")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:26

S68	48	("4476469"   "4654658"   "4703327"   "4725841"   "4730188"   "4752680"   "4783646"   "4799059"   "4862160"   "4884208"   "5057095"   "5063380"   "5214410"   "5294931"   "5339073"   "5340968"   "5424858"   "5446447"   "5450070"   "5519381"   "5537105"   "5550547"   "5550548"   "5557280"   "5572226"   "5583819"   "5602538"   "5635917"   "5648765"   "5666417"   "5684976"   "5689238"   "5751221"   "5774876"   "5779839"   "5856788"   "5936527"   "5986570"   "6002344"   "6127928"   "6177858"   "6226300"   "6321230"   "6469618").PN. OR ("6727803").URPN.	US-PGPUB; USPAT; USOOR	OR	ON	2007/12/26 07:24
S69	3139	(RFID transponder RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) near3 count\$3	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:25
S70	349	S69 and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.cols.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:25
S71	220	S70 and (@ad<"20040206" or @lad<"20040206")	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:26
S72	109	S71 not S67	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:26
S73	6	battle as.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 08:56
S74	2	"6774766".pn.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 11:46
S75	54	("4071908"   "4476469"   "4654658"   "4703327"   "4725841"   "4730188"   "4752680"   "4783646"   "4797948"   "4799059"   "4862160"   "4884208"   "5008661"   "5057095"   "5063380"   "5214410"   "5266925"   "5294931"   "5339073"   "5340968"   "5424858"   "5446447"   "5450070"   "5519381"   "5537105"   "5550547"   "5550548"   "5557280"   "5572226"   "5583819"   "5602538"   "5630064"   "5635917"   "5648765"   "5666417"   "5689238"   "5751221"   "5774876"   "5779839"   "5841770"   "5856788"   "5936527"   "5986570"   "6002344"   "6127928"   "6177858"   "6307848").PN. OR ("6774766").URPN.	US-PGPUB; USPAT; USOOR	OR	ON	2008/06/24 11:49
S76	1	"5673073".pn.	US-PGPUB; USPAT; USOOR	OR	ON	2008/06/24 11:58
S77	1	"5673037".pn.	US-PGPUB; USPAT; USOOR	OR	ON	2008/06/24 11:59
S78	80	(query\$3 search\$3 interrogat\$3) near5 (algoritm\$1 technique\$1 method\$1) same (group cluster member) same (tag\$1 transponder \$1 (RF near2 device\$1) ("radio frequency" near2 (device\$1 equipment))) and "340"/\$.cols.	US-PGPUB; USPAT; USOOR	OR	ON	2008/06/24 12:02
S79	13	("5517399"   "5856788"   "6100804"   "6130602"   "6366206"   "6463039").PN. OR ("6734797").URPN.	US-PGPUB; USPAT; USOOR	OR	ON	2008/06/24 12:22

S80	28	\specific adj read) same (general adj read) same (search interrogation query\$3) same (cluster\$1 group\$1) and "340"/\$.cls.	US-PCPUB; USPAT; USOCR	OR	ON	2008/06/24 12:25
S81	0	S80 not S78	US-PCPUB; USPAT; USOCR	OR	ON	2008/06/24 12:29
S82	117	340/10.32.cls.	US-PCPUB; USPAT; USOCR	OR	ON	2008/06/24 12:37
S83	94	"20020008611"   "20030227323"   "2411555"   "3618089"   "4068232"   "4209783"   "4278977"   "4375289"   "4408185"   "4593412"   "4656472"   "4660192"   "4673932"   "4706050"   "4782308"   "4802080"   "4814595"   "4827266"   "4928108"   "4963887"   "5013898"   "5055853"   "5084699"   "5099227"   "5126749"   "5142292"   "5202644"   "5214409"   "5305008"   "5324315"   "5452344"   "5493267"   "5504485"   "5519381"   "5521602"   "5541604"   "5550536"   "5604411"   "5619529"   "5621411"   "5691605"   "5698837"   "5698838"   "5701121"   "5703573"   "5767503"   "5801372"   "5831257"   "5850416"   "5874725"   "5883582"   "5889273"   "5905444"   "5955950"   "6014088"   "6025780"   "6028503"   "6034640"   "6070803"   "6070804"   "6072383"   "6075491"   "6100788"   "6137411"   "6150986"   "6154635"   "6172608"   "6208235"   "6229443"   "6243013"   "6265962"   "6272320"   "6272321"   "6281794"   "6304169"   "6307468"   "6307517"   "6335665"   "6393045"   "6424820"   "6441804"   "6446049"   "6491230"   "6498923"   "6646543"   "6650226"   "6650227"   "6650229"   "6654466"   "6690229"   "6703921").PN. OR ("6879246").URPN.	US-PCPUB; USPAT; USOCR	OR	ON	2008/06/24 12:42
S84	759	\query\$3 search\$3 interrogat\$3) near5 (algorithm\$1 technique\$1 method\$1) same (group\$3 cluster member range identifier) same (tag\$1 transponder\$1 (RF near2 device\$1) ("radio frequency" near2 (device\$1 equipment)))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 12:53
S85	269	S84 and "340"/\$.cls.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 12:54
S86	181	S85 not (S82 S80 S78 S75 S79)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 12:55
S87	40	"4027840"   "4242663"   "4359733"   "4364049"   "4682173"   "5072900"   "5387916"   "5414432"   "5453747"   "5471212"   "5486830"   "5521601"   "5525992"   "5563589"   "5602538"   "5606313"   "5621412"   "5627517"   "5629691"   "5640151"   "5699066"   "5701127"   "5787174"   "5856788"   "5887176"   "5895436"   "6064320"   "6265963").PN. OR ("6329944").URPN.	US-PCPUB; USPAT; USOCR	OR	ON	2008/06/24 13:00
S88	50	\steele.in. or anderson.in. or gilbert.in.) and battelle.as.	US-PCPUB; USPAT; USOCR	OR	ON	2008/06/24 13:02
S89	64	\query\$3 search\$3 interrogat\$3) near5 (algorithm\$1 technique\$1 method\$1) same (group\$3 cluster member range identifier) same (tag\$1 transponder\$1 (RF near2 device\$1) ("radio frequency" near2 (device\$1 equipment)))	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 13:07
S90	0	"200400466642".pn.	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 14:39
S91	0	"200400466642".pn.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 14:40

S92	2	"20040046642".pn.	US-PPGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 14:40
S93	2	"6774766".pn.	US-PPGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 14:58
S94	0	(general adj (query\$1 interrogation search)) same (specific adj (query\$1 interrogation search)) same (device\$1 tag\$1 transponder \$1) same (group\$3 set sub\$1 set cluster\$1) and "340"/\$.cols.	US-PPGPUB; USPAT; USOCR	OR	ON	2008/06/24 15:03
S95	11	(general adj (query\$1 interrogation search)) same (specific adj (query\$1 interrogation search)) same (device\$1 tag\$1 transponder \$1) same (group\$3 set sub\$1 set cluster\$1)	US-PPGPUB; USPAT; USOCR	OR	ON	2008/06/24 15:04
S96	20	(general adj (query\$1 interrogation search)) same (specific adj (query\$1 interrogation search)) same (device\$1 tag\$1 transponder \$1)	US-PPGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 15:05
S97	9	S96 not S95	US-PPGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 15:07
S98	91	("3520406"   "3689885"   "4071908"   "4225953"   "4418411"   "4471345"   "4495496"   "4533871"   "4598275"   "4636950"   "4656463"   "4862160"   "4931788"   "5030807"   "5124699"   "5214409"   "5214410"   "5245534"   "5266925"   "5289372"   "5313052"   "5339073"   "5356516"   "5365551"   "5390360"   "5410315"   "5420577"   "5430441"   "5434572"   "5434775"   "5444223"   "5446447"   "5469142"   "5478991"   "5479416"   "5489908"   "5499017"   "5500650"   "5515053"   "5519381"   "5528222"   "5528232"   "5537105"   "5539394"   "5539775"   "5541928"   "5550547"   "5557280"   "5566441"   "5576692"   "5583819"   "5583850"   "5591951"   "5602538"   "5606323"   "5627517"   "5627544"   "5640151"   "5646607"   "5648765"   "5648767"   "5673037"   "5680459"   "5686888"   "5686902"   "5689239"   "5742618"   "5774876"   "5798693"   "58288318"   "5856788"   "5887176"   "5912632"   "5917422"   "5959568"   "5963133"   "5995019"   "6002344"   "6025780"   "6057756"   "6058374"   "6097347"   "6215401"   "6271793"   "6286762"   "6354493"   "6388569"   "6774766").PN OR ("7075436").URPN.	US-PPGPUB; USPAT; USOCR	OR	ON	2008/06/24 15:10
S99	19	(select\$3 choos\$3 pick\$3 determin\$3) near3 (interrogation search) near3 (method procedure protocol) same (RFID tag\$1) and "340"/\$.cols.	US-PPGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 14:39
S100	292	(interrogation interrogating search) near3 (method procedure protocol) same (RFID tag\$1) and 340/572.1,10.32,10.33,10.1.cols.	US-PPGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 14:51
S101	179	S100 and (@ad<"20040206" @lad<"20040206")	US-PPGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 14:52

S102	60	((4071908"   "5339073"   "5469142"   "5479416"   "5583819"   "5602538").PN. OR ("5856788").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2008/12/30 15:19
S103	15	((plurality multiple switch\$3 chang\$3 two) near2 ((telephone phone mobile directory) adj number) with (packet near switch\$3) with (circuit adj switch\$3) and ("455"/\$.cls. or "370"/\$.cls. or "709"/\$.cls. or "379"/\$.cls.)	US_PGPUB; USPAT; USOCR	OR	ON	2008/12/30 17:34
S104	0	((select\$3 chosen choos\$3) near2 (interrogation interrogating search) near3 (method procedure protocol) same (RFID tag\$1) and (340/825.54,10.2,572.1,10.32,10.33,10.1.cls.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 18:19
S105	7	((select\$3 chosen choos\$3) near2 (interrogation interrogating search) near3 (method procedure protocol) and (340/825.54,10.2,572.1,10.32,10.33,10.1.cls.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 18:21
S106	1298	((identification identifier address\$2) same (interrogation interrogating search) with (RFID reader tag\$1) and (235/385.cls. or (340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825.31,572.1,5.92.cls.))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:50
S107	139	((identification identifier address\$2) same (interrogation interrogating search) near3 (technique\$1 method\$1 procedure\$1) with (RFID reader tag\$1) and (235/385.cls. or (340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825.31,572.1,5.92.cls.))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:51
S108	13	((5841770"   "5995019"   "6002344"   "6107910"   "6265963"   "6433671"   "6531954"   "6531957"   "6580358"   "6950009"   "7035818"   "7057511"   "7075436").PN. OR ("7425888").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2009/09/10 10:55
S109	501	((identification identifier address\$2) and (interrogation interrogating search) and (technique\$1 method\$1 procedure\$1) and (RFID reader tag\$1)).clm. and (235/385.cls. or (340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825.31,572.1,5.92.cls.))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:56
S110	471	((identification identifier address\$2) and (interrogation interrogating search) and (technique\$1 method\$1 procedure\$1) and (RFID tag\$1)).clm. and (235/385.cls. or (340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825.31,572.1,5.92.cls.))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:56
S111	3306	((identification identifier address\$2) and (interrogation interrogating search) and tree and binary (technique\$1 method\$1 procedure\$1) and (RFID tag\$1)).clm. and (235/385.cls. or (340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825.31,572.1,5.92.cls.))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:57
S112	7	((identification identifier address\$2) and (interrogation interrogating search) and tree and binary and (technique\$1 method\$1 procedure\$1) and (RFID tag\$1)).clm. and (235/385.cls. or (340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825.31,572.1,5.92.cls.))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:57

S113	37	("4075632"   "4862453"   "4926182"   "5142694"   "5365551"   "5479416"   "5500650"   "5583850"   "5608739"   "5621412"   "5625628"   "5627544"   "5649296"   "5805586"   "5841770").PN. OR ("6061344").URPN.	US_PGPUB; USPAT; USOOR	OR	ON	2009/09/10 10:57
S114	5	steele.in. and (235/385.ccls. or 340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825.31,572.1,5.92. ccls.)	US_PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:58
S115	30	("2863995"   "3648195"   "3815048"   "3882425"   "4054871"   "4075632"   "4135168"   "4360810"   "5198807"   "5649295"   "5701121"   "5751197"   "5828693"   "5974078"   "6144299"   "6310540").PN. OR ("6765476").URPN.	US_PGPUB; USPAT; USOOR	OR	ON	2009/09/10 10:59
S116	36	Battelle.as. and (235/385.ccls. or 340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825.31,572.1,5.92. ccls.)	US_PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:59
S117	47	("3705385"   "4064487"   "4075632"   "4360810"   "4736207"   "4833481"   "5369800"   "5450492"   "5517195"   "5694454"   "5699055"   "5771021"   "5850181"   "5864302"   "6091342"   "6177861"   "6249229"   "6362738"   "6456668"   "6480143"   "6505321").PN. OR ("6745008").URPN.	US_PGPUB; USPAT; USOOR	OR	ON	2009/09/10 11:00
S118	1	"20050235052".pn.	US_PGPUB; USPAT; USOOR	OR	ON	2009/09/10 13:52
S119	0	(charg\$3 near3 function) with (accounting near (ACK acknowledgement)) and 455/405-409.ccls.	US_PGPUB; USPAT; USOOR	OR	ON	2009/09/10 19:59
S120	2	(accounting near (ACK acknowledgement)) and 455/405-409.ccls.	US_PGPUB; USPAT; USOOR	OR	ON	2009/09/10 19:59
S121	43485	(cellular mobile radio wireless) and (pots (land adj line))	US_PGPUB; USPAT; USOOR	OR	ON	2009/09/10 23:20
S122	38069	(cellular mobile radio wireless) and (pots (land adj line))	US_PGPUB; USPAT	OR	ON	2009/09/10 23:21
S123	10603	protocol near (conversion convert\$3)	US_PGPUB; USPAT	OR	ON	2009/09/10 23:21
S124	27889	format near (conversion convert\$3)	US_PGPUB; USPAT	OR	ON	2009/09/10 23:22
S125	1249	S123 and S124	US_PGPUB; USPAT	OR	ON	2009/09/10 23:22
S126	169	S121 and S125	US_PGPUB; USPAT	OR	ON	2009/09/10 23:23
S127	137	S126 and (authoriz\$5 authenticat\$3 validat\$3)	US_PGPUB; USPAT	OR	ON	2009/09/10 23:24
S128	12	(choos\$3 select\$3 pick\$3 determin\$5 detect\$3) near3 (method technique procedure) near3 search\$3 with (identifier\$1 identification) and "340"/\$.ccls.	US_PGPUB; USPAT; USOOR	OR	ON	2010/03/04 10:17
S129	3	(choos\$3 select\$3 pick\$3 determin\$5 detect\$3) near3 (method technique procedure) near3 search\$3 with tag near5 (number\$1 identifier\$1 identification) and "340"/\$.ccls.	US_PGPUB; USPAT; USOOR	OR	ON	2010/03/04 10:22
S130	4	(choos\$3 select\$3 pick\$3 determin\$5 detect\$3) near3 (method technique procedure) near3 search\$3 same tag near5 (number\$1 identifier\$1 identification) and "340"/\$.ccls.	US_PGPUB; USPAT; USOOR	OR	ON	2010/03/04 10:22
S131	1	"6876294".pn.	US_PGPUB; USPAT; USOOR	OR	ON	2010/03/10 09:57
S132	1	(variable varying multiple adaptive\$2 dynamic\$4 select\$3) near5 (search interrogat\$3) near3 (technique\$1 method\$1) with identi\$8 same reader and (340/3.1,5.1,3.51,3.52,3.6,10.1,10.32,500,539,23,540,572,1,572,4,573,1,10.33,825,54.ccls.)	US_PGPUB; USPAT; USOOR	OR	ON	2010/03/10 10:17

S133	49	\search interrogat\$3) near3 (technique\$1 method\$1) with identi\$8 same reader and ("340"/3.1,5.1,3.51,3.52,3.6,10.1,10.32,500,539,23,540,572,1,572.4,573.1,10.33,825,54,cols.)	US_PGPUB; USPAT; USOCR	OR	ON	2010/03/10 10:18
S134	24	S133 and (@ad<"20040206" or @rlad<"20040206")	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:19
S135	7	\reader interrogator) near3 (determin\$5 select\$3 choos\$3) with (search interrogation) near3 (algorithm\$1 method\$1 technique\$1) same (group identi\$8)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:30
S136	49	\determin\$5 select\$3 choos\$3) near3 (search interrogation) near3 (algorithm\$1 method\$1 technique\$1) same (group identi\$8) and ("340"/\$.cols	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:33
S137	48	S136 not S135	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:33
S138	47	S137 not S134	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:34
S139	37	S138 and (@ad<"20040206" or @rlad<"20040206")	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:34
S140	25	("4075632"   "4862453"   "4926182"   "5365551"   "5479416"   "5500650"   "5583850"   "5608739"   "5621412"   "5625628"   "5627544"   "5649296"   "5942987"   "5952922").PN. OR ("6275476").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2010/03/10 10:43
S141	134	\reader interrogator) with ((search interrogation) near2 (algorithm\$1 method\$1 technique\$1)) and ("340"/\$.cols.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:46
S142	79	S141 and (@ad<"20040206" or @rlad<"20040206")	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:47

S143	:55	\$142 not (\$133 \$134 \$135 \$136 \$137 \$138 \$139 \$140)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:47
S144	:53	\$143 not volpi.in.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:48
S145	:5	(group ident:\$8) with (specific general) with (tree binary) with (search interrogation) and "340"/\$.cols.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:59
S146	:12	(group near (addres\$3 ident:\$8)) near5 (tag tags RFID sensor\$1) with (search\$1 interrogat:\$3) and "340"/\$.cols.	US_PGPUB; USPAT; USOCR	OR	ON	2010/03/10 12:48
S147	:1	"6442479".pn.	US_PGPUB; USPAT; USOCR	OR	ON	2010/03/10 13:04
S148	:1	"5915219".pn.	US_PGPUB; USPAT; USOCR	OR	ON	2010/03/10 13:32
S149	:1	"6442479".pn.	US_PGPUB; USPAT; USOCR	OR	ON	2010/03/10 15:33

8/17/2010 10:15:25 AM  
 H:\2005-2009 Olumide EAST\10774146.wsp